AMERADA HESS CORPORATION

Fee'd 6/1/00 - JEM 5/15

732-750-6000 732-750-6105 (FAX) 1 HESS PLAZA WOODBRIDGE, NJ 07095-0961

June 18, 1999

Ms. Mary Letzkus US EPA – Reg. III 1650 Arch St. Philadelphia, PA 19103-2029

## EXPRESS MAIL

Re:

Amerada Hess Corporation Washington, DC Terminal

NPDES Permit #DC0000051

NPDES Permit Renewal Application

Dear Ms. Letzkus:

Per our conversation, enclosed please find the NPDES permit renewal application package for the referenced facility. As discussed, the facility has not discharged stormwater since December 1993; therefore, most of the data provided within the last application (dated 12/22/93) has been used for this application. The only exception is that the 1993 facility monitoring data for pH and Oil & Grease have also been used.

(732) 750-7 004 If you have any questions or require additional information, please call me at (732) 750-6722.

Yours truly,

AMERADA HESS CORPORATION

Howard S. Goldman, Supervisor

Permit Compliance

HSG/cw

Enc.

Cc:

Mr. W. Ruby, Dist. of Columbia Government (w/enc.)

FORM	OFN				CTION AGENCY	1. EPA I.D NUMBER			
	C	onso	lidate	d Permits I	RMATION Program	s F DCD045493814			T/A
GENERAL LABEL ITEMS	(Read the	Gen	erai	nstructions	" before starting)	1 2 GENERAL INSTR	LICTI	ONIS	13 14
I. EPA I.D. NUMBER					No.	If a preprinted label has been the designated space. Rev	prov	ided,	affix it is
III. FACILITY NAME						carefully; if any of it is incorre and enter the correct data in	ect, cr the a	oss t	hrough i priate fill
V. FACILITY MAILING ADDRESS	PLEASE PLA	ACE	E LA	BEL IN	THIS SPACE	in area below. Also, if any of is absent (the area to the leisst the information that sho provide it in the proper fill-in label is complete and corr	ft of thuid ap area(: rect,	e lab pear s) bel you r	pel space r), pleas ow. If the need no
VI. FACILITY LOCATION						complete Items I, III, V, ar which must be completed reg all items if no label has beer the instructions for detailed ite for the legal authorizations un is collected.	gardle n prov em de	ss). ( ided. scrip	Complet Refer to tions and
II. POLLUTANT CHARACTERIS	TICS	127							
you must submit this form and th form is attached. If you answer requirements; see Section C of to	e supplemental form listed "no" to each question, you he instructions. See also, S	in the need Section	e pare d not on D	enthesis for submit any of the instru	llowing the question. Mark ", y of these forms. You may a uctions for definitions of bo	answer "no" if your activity is exc Id-faced terms.	f the s	uppl fron	lemental
SPECIFIC QUE	STIONS	YES	NO	FORM ATTACHED	SPECIFIC	QUESTIONS	YES	NO	FORM
A. Is this facility a publicly o which results in a discharge (FORM 2A)	wned treatment works to waters of the U.S.?	16	X 17	18	include a concentrate aquatic animal prod	lity (either existing or proposed) ed animal feeding operationor luction facilitywhich results in a of the U.S.? (FORM 2B)	19	X 20	21
C. Is this a facility which currently waters of the U.S. other than above? (FORM 2C)		×		24	in A or B above) whi waters of the U.S.? (		25	X 26	27
E. Does or will this facility tre hazardous wastes? (FORM		28	X 29	30	municipal effluent to containing, within on	pject at this facility industrial or below the lowermost stratum the quarter mile of the well bore, of drinking water? (FORM 4)	31	X 32	22
G. Do you or will you inject at this for other fluids which are be connectionwith conventional oi inject fluids used for enhance gas, or inject fluids for storage (FORM 4)	rought to the surface in lor natural gas production, d recovery of oil or natural		х	36	H. Do you or will you i special processes s Frasch process, solu	nject at this facility fluids for uch as mining of sulfur by the ution mining of minerals, in situ fuel, or recovery of geothermal		X 38	33
I. Is this facility a proposed state one of the 28 industrial constructions and which will pot year of any air pollutant regulated Act and may affect or be located.	ategories listed in the tentially emit 100 tons per ated under the Clean Air	34	35 X	36	NOT one of the 28 in instructions and which year of any air polluta	sed stationary source which is industrial categories listed in the in will potentially emit 250 tons per int regulated under the Clean Air is located in an attainment area?	37	38 X	39
(FORM 5)		40		42	(FORM 5)	No. 1000 the contract of the C	43	44	45
III. NAME OF FACILITY    SKIP AMERADA HESS (	CORPORATION					A STATE OF THE STA	+++2		
15   16 - 29   30 IV. FACILITY CONTACT			i de	in espession			69	H. T. J.	a Niversitä
	NAME & TITLE (last, firs	st. & t	title)		Country and the Country of the Count	B. PHONE (area code & no.)	eogh sent	HALL CO.	TOLY STATE
C H. GOLDMAN, SUPERV	VISOR PERMIT CON			CE	73	2 750 6000			
15   16 V. FACILITY MAILING ADDRESS				Market .	45  46	- 48  49 - 51  52 - 55		MAG	ing in the
	A. STREET OR P.O. B	OX							
ONE HESS PLAZA					45	0051			
	. CITY OR TOWN	-			C. STATE D. ZIP CO	ODE			
WOODBRIDGE		270 min	L(selver	We ship and	NJ 07095 40 41 42 47 -	51		COMPA	(28/) (20)
	OUTE NO. OR OTHER S	PEC	IFIC	IDENTIFIE	iR				
5 1620 SOUTH CAPITOI	L STREET SE								
5 16	COUNTY NAME				45				

F. COUNTY CODE (if known) C WASHINGTON
15 16
EPA Form 3510-1 (8-90) DC 41 42 20003 CONTINUE ON REVERSE

D. STATE E. ZIP CODE

C. CITY OR TOWN

N/A 46

CONTINUED FROM THE FRONT	27 27 47 47 57			
VII. SIC CODES (4 digit in order of priority)			0.0000	
A. FIRST		C (sr	B. SECOND pecify)	
7 5171 V Bulls Share	as C Distribution	[7]	/A	
15 16 · 19 Petroleum Bulk Stora C. THIRD	ge a Distribution	15 16 - 19 N	D. FOURTH	
C (specify)		C (sp	pecify)	•
7 15 16 - 19		7 15 16 - 19 N	/A	
VIII. OPERATOR INFORMATION	The last of the la	1 10 10		
	A. NAME			B. Is the name listed i
С				Item VIII-A also th owner?
8 AMERADA HESS CORPORATION				■ NO
15 16				55 66
C. STATUS OF OPERATOR (Enter the a F = FEDERAL M = PUBLIC (other than		ver box; if "Other," spe specify)	crfy.) D. F	PHONE (area code & no.)
S = STATE O = OTHER (specify)	P P	Specify	A 732	2   750   6000
P = PRIVATE	56		15 16	
E. STREET (	OR P.O. BOX			
ONE HESS PLAZA				
26 -		55	ZID CODE LIV INDIAN	LAND
F. CITY OR TOV	VN	G. STATE H.		
				y located on Indian lands?
B WOODBRIDGE		NJ 07	7095 LYES	E.110
X. EXISTING ENVIRONMENTAL PERMITS		10 10 10 10 10 10 10 10 10 10 10 10 10 1		r-a-
A. NPDES (Discharges to Surface Water)	D. PSD (Air Emissions	from Proposed Source	es)	
CITIII	CITIII			
9 N DC0000051	9 P N/A 30 15 16 17 18	-	30	
B. UIC (Underground Injection of Fluids)		R (specify)		
9 U N/A	9 N/A		(specify)	
15 16 17 18 -	30 15 16 17 18		30	
C. RCRA (Hazardous Wastes)	C T I I	R (specify)	(specify)	
9 R N/A	9 N/A			
15 16 17 18 - XI. MAP	30 15 16 17 18		30	BOOKER LUCE LYANGE
facility, the location of each of its existing and prop and each well where it injects fluids undergroun requirements.	oosed intake and discharge s d. Include all springs, rivers	tructures, each of its h and other surface wa	azardous waste treatment, ter bodies in the map area	storage, or disposal facilities, a. See instructions for precise
XII. NATURE OF BUSINESS (provide a brief des	cription)		Part State of the	
The applicant maintains an Vi	nactive bulk peta	coleum storage	e and distribut	ion facility. The
facility requires an NPDES p		and the state of t		
river via outfall 001. Author				
	offizacion to disc	marge mydros	cacic test water	I did wasii wacci
is also requested.				
VIII OFFICIOATION		The second of the second		
XIII. CERTIFICATION (see instructions)	Minabir Per Samera	PLOCURE NUMBER OF STREET	o du la Carderor III de 1994	WARRING AND WINDOWS STREET, THE PROPERTY OF THE PARTY OF
I certify under penalty of law that I have person that, based on my inquiry of those persons imm is true, accurate and complete. I am aware the imprisonment.	ediately responsible for obtain	ining the information c	ontained in the application	, I believe that the information
A. NAME & OFFICIAL TITLE (type or print)	B. SIGNA	TURE 4	^	C. DATE SIGNED
Robert T. Ehrlich, Vice Presi	(,) 1	#1 50	0. 1	6/21/99
Corporate Environmental Affai	irs W	N 2, V	wh	-10-111
COMMENTS FOR OFFICIAL USE ONLY				
C				5:
15 16				55
EPA Form 3510-1 (8-90)				

Form Approved OMB No. 2040-0086 Approval expires 5-31-92

Please print or type in the unshaded areas only.

**FORM EPA** 2C

## U.S. ENVIRONMENTAL PROTECTION AGENCY APPLICATION FOR PERMIT TO DISCHARGE WASTEWATER EXISTING MANUFACTURING, COMMERCIAL, MINING AND SILVICULTURAL OPERATIONS

NPDES						Co	nsolidated Permi	ts Program			
I. OUTFALL L	OCATION										
For each outfall,	list the latitud	e and long	itude of its	location to th	e nearest	15 second	ds and the name	of the recei	ving wat	er.	
A. OUTFALL		ITUDE			ONGITUDE					G WATER (name)	
NUMBER (list)	1. DEG.	2. MIN.	3. SEC.	1. DEG.	2. MIN.	3. SEC.		D. KI	CEIVING	S WATER (name)	
001	38	52	07	77	00	23	Anacostia	River	(see	location map)	
		l.					(				
								71112.4-2-170-24			
		01111710	N. AND TE		TECUNO	LOCIED			D. O. S.		

### II. FLOWS, SOURCES OF POLLUTION, AND TREATMENT TECHNOLOGIES

- A. Attach a line drawing showing the water flow through the facility. Indicate sources of intake water, operations contributing wastewater to the effluent, and treatment units labeled to correspond to the more detailed descriptions in Item B. Construct a water balance on the line drawing by showing average flows between intakes, operations, treatment units, and outfalls. If a water balance cannot be determined (e.g., for certain mining activities), provide a pictorial description of the nature and amount of any sources of water and any collection or treatment measures.
- B. For each outfall, provide a description of: (1) All operations contributing wastewater to the effluent, including process wastewater, sanitary wastewater, cooling water, and storm water runoff; (2) The average flow contributed by each operation; and (3) The treatment received by the wastewater. Continue on additional sheets if necessary.

1. OUT-	2. OPERATION(S) CONTRIBUT	ING FLOW	3. TREATMENT						
FALLING (list)	a. OPERATION (list)	b. AVERAGE FLOW (include units)	a. DESCRIPTION	b. LIST CODES FROI TABLE 2C-1					
\	Stormwater runoff	0.016 MGD	Oil/Water Separator	4-A					
1	Hydrostatic test water	0.04 MGD		4 – A					
8.5	Wash Water	500 GPD	Oil/Water Separator	4-A					
01									
			D.						
			(1)						
	LISE ONLY (affluent quidelines sub-categories)								

OFFICIAL USE ONLY (effluent guidelines sub-categories)

CONTINUED FR												
C. Except for s					f the dischar	ges described	in Items II-A					30222
	YES (con	nplete the follo	wing t	able)				⊠ NO (gc	to Section III,			
1. OUTFALL		2. OPE	RATIO	N(s)		a. DAYS	b. MONTHS	F. S.	W RATE		L VOLUME vith units)	c. DUR-
NUMBER (list)		CONTRIB				PER WEEK (specify average)	PER YEAR (specify average)		2. MAXIMUM DAILY	1. LONG TERM AVERAGE	2. MAXIMUM DAILY	ATION (in days)
001	Hydro	static t	est	wate	r	*	*	*	*	*	*	
\	Wash	water										
٧	* Plea	ase refer	to	attac	hment.							
						100						
il de la companya de												77
							. 25					
III. PRODUCTIO	N	,160 t 7 th		La Com	557 141 F-W	TELEKTER E	nijaarus mijaarus	dinima		J. 45. 41. 50. 50.	TANK SANS	all days and
A. Does an effl				ulgated t	y EPA unde	r Section 304			시키는 경기에게 얼마나 하시네던 보다	27/4 <del>0</del> 43		
		plete Item III-E	1	4 (a) - (1)		d'a tausa af a			to Section IV	3		
B. Are the limits		ne applicable i aplete Item III-0		nt guideli	ne expresse	d in terms of p	roduction (or	70 P ( <u> </u>	e of operation to Section IV	* C-04		
C. If you answe				e quantit	y which repr	esents an actu	ual measurem			terangencer er en eus	d in the terms	and units
		effluent guide										
				1. A	VERAGE D	AILY PRODU	CTION				2. AFFE	CTED
a. QUANTITY PE	ER DAY	b. UNITS O	F MEA	SURE		c. OPERA	ATION, PRODU	JCT, MATERIA	L, ETC.		OUTFA (list outfall)	ALLS
	N/A						(ope	0.177			(not outlant	iomocro,
	.,,											
		¥										
IV. IMPROVEM	ENTS				Spinister .			The state of	arabatan a	Jase et al.		
A. Are you now		ny any Federal	State	or local	authority to	meet anv imple	mentation sc	hedule for the	construction	upgrading or	operation of w	astewater
treatment eq	uipment	or practices of	or any	other e	nvironmental	programs wh	ich may affe	ct the discha	rges describe	ed in this app	lication? This	includes,
or loan condi		ermit condition	is, adn			ement orders, energy table			to Item IV-B		court orders,	and grant
1. IDENTIFICATI	ION OF CO	ONDITION,			TED OUTFAL							IAL COM- NCE DATE
AGREE	MENT, ET	C.	a. NO.	b. SOU	RCE OF DISCH	ARGE	3. B	RIEF DESCRI	PTION OF PRO	DJECT	a. RE- QUIRE	b. PRO-
N/A	80											
B OBTIONAL:	Value	attach additi-	nal sk	note des	oribina c=:-=	dditionalst	nollution oc-	trol programs	(or other ar-	impressed co	niects which a	nev effect
B. OPTIONAL: your discharge	ges) you	now have un	derwa	y or whi	ch you plan.	Indicate whet	ther each pro	ogram is now	underway or	planned, and	indicate your	actual or
		construction.				ESCRIPTION						

## CONTINUED FROM PAGE 2

DCD045493814

V. INTAKE AND EFFLUENT		establing fatherings, and the first of the first	
A, B, & C: See instruction NOTE: Tables	ns before proceeding — Complete one set of tables f V-A, V-B, and V-C are included on separate sheets	or each outfall — Annotate the outfall numbered V-1 through V-9.	all number in the space provided.
D. Use the space below to discharged from any ou possession.	list any of the pollutants listed in Table 2c-3 of the intrall. For every pollutant you list, briefly describe the	nstructions, which you know or have e reasons you believe it to be pres	e reason to believe is discharged or may be sent and report any analytical data in your
1. POLLUTANT	2. SOURCE	1.POLLUTANT	2. SOURCE
Xylenes (OM&P)	Gasoline Constituent	022017411	2. 0001102
	(Effluent Concentration		
	< 20 ug/l)		
MTBE	Gasoline Constituent		
	(Effluent Concentration		
	< 10 ug/l)	59	
		×	
	1		
	1		
VI DOTENTIAL DISCUADO	TO NOT DON'T DE DY ANALYSIS DE PROPERTIES		
	ES NOT COVERED BY ANALYSIS  V-C a substance or a component of a substance wh	ich vou currently use or manufactu	re as an intermediate or final product or
byproduct?		ion you can only add or manaracta	to as an intermediate of final product of
	▼ YES (list all such pollutants below)	NO (go to	Item VI-B)
Naphthalene - Oil	Constituent		
Oil & Grease - Oil	& Gasoline Constituent		=
Benzene - Gasoline			
Toluene - Gasoline			
Ethylbenzene - Gas	oline Constituent		
			İ
			ja Ja
			I

## CONTINUED FROM THE FRONT

Do you have any knowledge or reason to belie	Ne that any biological test for acute or chronic toxic	ity has been made on any o	of your discharges or on a		
receiving water in relation to your discharge w	ithin the last 3 years?	ny nao ocen maco en any e	n your district gos or on a		
YES (identify the te	CONTRACT ANALYSIS INFORMATION  e any of the analyses reported in Item V performed by a contract laboratory or consulting firm?  YES (list the name, address, and telephone number of, and pollutants analyzed by, each such laboratory or firm below)  A NAME  B. ADDRESS  C. TELE (area coironmental Testing and 284 Raritan Center Parkway 732–225.				
N/A					
VIII. CONTRACT ANALYSIS INFORMATION					
		<u> </u>			
		NO (go to Sec	ction IX)		
The second secon		C. TELEPHONE (area code & no.)	D. POLLUTANTS ANALYZED (list)		
IX. CERTIFICATION  I certify under penalty of law that this document assure that qualified personnel properly gather ar	Edison, NJ 08818  and all attachments were prepared under my directed evaluate the information submitted. Based on my	ction or supervision in acco	ersons who manage the system or		
those persons directly responsible for gathering the I am aware that there are significant penalties for	d evaluate the information submitted. Based on my e information, the information submitted is, to the b submitting false information, including the possibili	est of my knowledge and be ity of fine and imprisonmen	elief, true, accurate, and complete.		
A. NAME & OFFICIAL TITLE (type or print)	dest Comp. Perilingence 1.2.2.5				
Robert T. Ehrlich, Vice Presi	.dent, Corp. Environmental Af	732-750-6 D. DATE SIGNE			

V. INTAKE AND EFFLUENT CHARACTERISTICS(continued from page 3 of Form 2-C)

EPA I.D. NUMBER (copy from Item 1 of Form 1)

DCD045493814

PART A- You mu	ust pr	ovide th	ne results o	of at least on	e analysis for	every pol	lutant in this	table. Comple	ete one table fo	or each o	outfall. Se	ee ins	tructions for	additional deta	ils.		
						2. EF	FLUENT						3. l	INITS	4. INTAK	E (optional)	
						IUM 30 DA			RM AVRG. VAL	UE	2000		(specif	if blank)	a. LON	G TERM	
1. POLLUTANT	_		XIMUM DAII			if available			available)		d. NO. 0		a. CONCEN-	100000000000000000000000000000000000000		SE VALUE	b. NO. OF
	С	(1) ONCENT		(2) MASS	(1) CONCENTRA		(2) MASS	(1) CONCENTRATION	ON (2) MAS	SS	ANALYS	ES	TRATION	b. MASS	(1) CONCENTRATION	(2) MASS	ANALYSES
a. Biochemical Oxygen Demand (BOD)			7									1	mg/	1			
b. Chemical Oxygen Demand (COD)			22									1	mg/				
c. Total Organic Carbon (TOC)			6.2									1	mg/				
d. Total Suspended Solids (TSS)			<5									1	mg/				
e. Ammonia (as N)			0.4		8							1	mg/				
f. Flow	15230	LUE		0.04		•		VALUE	0	.016	estima	ate	MG	D	VALUE		
g. Temperature (winter)		LUE		9.5	VALUE			VALUE				2		°C	VALUE		
h. Temperature (summer)	VA	LUE		22.2	VALUE		VALUE			3		°C	VALUE				
(outmicr)	MII	NIMUM	IMA	XIMUM	MINIMUM	MAX	CIMUM					-					
i. pH			6.3	9.3	3	0000					10 STANDARD UNI						
which is	s limi	ted eith	er directly,	or indirectly	but expressly	, in an eff	luent limitati	ions guideline.	you must provi	ide the r	results of	at lea	st one analys	is for that poll	ent. If you mark coutant. For other politions for additional	lutants for which w	nu mark
		RK 'X'					3. EFFLU			•	-+			4. UNITS			omento.
TANT AND	a. BE-	b. BE-	a. MAX	IMUM DAILY	VALUE	b. MAXIN	IUM 30 DAY		c. LONG TERM	AVRG. \	VALUE			4. 01113		ONG TERM	b. NO. OF
CAS NO. L	JEVED	LIEVED AB-					(if available)		(if ava				D. OF a. CON	CEN- b. MA		RAGE VALUE	ANAL-
(if available)	PRE- SENT	SENT	(1) CONCENTE	RATION (2	) MASS	(1) CONCENTR	ATION (	2) MASS	(1) ONCENTRATION	(2)	MASS	AN.		ION	CONCENTRATI	(2) MASS	YSES
a. Bromide						0011021111			ONOLITION			13			CONCENTRATI	JN	
(24959-67-9)		х															
b. Chlorine, Total Residual		x															
c. Color	3	x															
d Focal										-		_				A CONTRACTOR OF THE CONTRACTOR	

e. Fluoride (16984-48-8) f. Nitrate— Nitrite (as N) OUTFALL NO.

001

ITEM	V-B	CONT	INUED	FROM	FRONT

1. POLLU-	2. MA	RK 'X'				EFFLUENT	T		_	4. UI	NITS	5. INT	AKE (optional)	
TANT AND CAS NO.	a. BE-	b. BE- LIEVED	a. MAXIMUM C	DAILY VALUE	b. MAXIMUM 3 (if avai		c. LONG TERM (if avai		d. NO. OF	- 001:051:		a. LONG	TERM	
(if available)	PRE- SENT	AB- SENT	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS	ANAL- YSES	a. CONCEN- TRATION	b. MASS	(1) CONCENTRATION	(2) MASS	b. NO. OI ANAL- YSES
g. Nitrogen, Total Organic (as N)		х												1020
h. Oil and Grease	×	, , , , , , , , , , , , , , , , , , ,	5.1				<2.0		10	mg/l				+
i. Phosphorus (as P), Total (7723-14-0)		x					12.0		100	mg/1				
j. Radioactivity														
(1) Alpha, Total		x												
(2) Beta, Total		x												1
(3) Radium, Total		x												
(4) Radium 226, Total		x				[4]								
k. Sulfate (as SO ) (14808-79-8)		х												
I. Sulfide (as S)		x												
m. Sulfite (as SO ) (14265-45-3)		x												
n. Surfactants		×												
o. Aluminum, Total (7429-90-5)		x												
p. Barium, Total (7440-39-3)		х												
q. Boron, Total														
(7440-42-8) r. Cobalt, Total		х												
(7440-48-4) s. Iron, Total		x												
(7439-89-6) t. Magnesium, Total		х												
Total (7439-95-4) u. Molybdenum, Total		х												
(7439-98-7) v. Manganese, Total (7439-96-5)		х												
(7439-96-5) w. Tin, Total (7440-31-5)		X												
C Titanium, Total (7440-32-6)		x												

EPA I.D. NUMBER (copy from Item 1 of Form 1) **OUTFALL NUMBER** 001

CONTINUED FROM PAGE 3 OF FORM 2-C

DCD045493814

PART C - If you are a primary industry and this outfall contains process wastewater, refer to Table 2c-2 in the instructions to determine which of the GC/MS fractions you must test for. Mark "X" in column 2-a for all such GC/MS fractions that apply to your industry and for ALL toxic metals, cyanides, and total phenols. If you are not required to mark column 2-a (secondary industries, nonprocess wastewater outfalls, and nonrequired GC/MS fractions), mark "X" in column 2-b for each pollutant you know or have reason to believe is present. Mark "X" in column 2-c for each pollutant you believe is absent. If you mark column 2a for any pollutant, you must provide the results of at least one analysis for that pollutant. If you mark column 2b for acrolein, acrylonitrie, 2,4 dinitrophenol, or 2-methyl-4, 6 dinitrophenol, you must provide the results of at least one analysis for that pollutant which you know or have reason to believe it will be discharged in concentrations of 10 ppb or greater. If you mark column 2b for acrolein, acrylonitrie, 2,4 dinitrophenol, or 2-methyl-4, 6 dinitrophenol, you must provide the results of at least one analysis for each of these pollutants which you know or have reason to believe that you discharge in concentrations of 100 ppb or greater. Otherwise, for pollutants for which you mark column 2b, you must either submit at least one analysis or briefly describe the reasons the pollutant is expected to be discharged. Note that there are 7 pages to this part; please review each carefully. Complete one table (all 7 pages) for each outfall. See instructions for additional details and requirements.

1. POLLUTANT	_	MARK		l page		sicase review cas	3. EFFLUENT		ш. <i>г</i> р.	.900) 10.	223.7 001.1	4. UN			AKE (optiona	
AND CAS NUMBER	a TEST.			a. MAXIMUM I	DAILY VALUE	b. MAXIMUM	30 DAY VALUE	c. LONG TERM	AVRG	. VALUE	d. NO. OF ANAL-		b. MASS	a. LONG	TERM	b. NO. OF
(if available)	ING RE- QUIR- ED	PRE- SENT	AB- SENT	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION		MASS	YSES	TRATION	D. MA33	(1) CONCEN- TRATION	(2) MASS	ANAL- YSES
METALS, CYAN	IDE, A	NDTO	TAL P	HENOLS												
1M. Antimony, Total (7440-36-0)			x													
2M. Arsenic, Total (7440-38-2)			x													
3M. Beryllium, Total, 7440-41-7)			x													
4M. Cadmium, Total (7440-43-9)			×													
5M. Chromium, Total (7440-47-3)			×		20.							(0.0				
6M. Copper, Total (7440-50-8)			×													
7M. Lead, Total (7439-92-1)			x													
8M. Mercury, Total (7439-97-6)			×						9,							
9M. Nickel, Total (7440-02-0)			x													
10M. Selenium, Total (7782-49-2)			x													
11M. Silver, Total (7440-22-4)			x													
12M. Thallium, Total (7440-28-0)			x													
13M. Zinc, Total (7440-66-6)			x													
14M. Cyanide, Total (57-12-5)			x													
15M. Phenols, Total			х										4			
DIOXIN																
2,3,7,8 Tetra- chlorodibenzo-P- Dioxin (1764-01-6)			х	DESCRIBE RES	ULTS											

#### CONTINUED FROM THE FRONT

1. POLLUTANT		MARK					B. EFFLUENT				4. UN	NITS	5. INT	AKE (optional	nI)
AND CAS	a. TEST- ING	b. BE-	c. BE- LIEVED	a. MAXIMUM D	AILY VALUE		30 DAY VALUE		AVRG. VALUE	d. NO. OF		to recommende	a. LONG	3 TERM	RE VANS SA
NUMBER (if available)	RE- QUIR- ED	PRE- SENT	AB- SENT	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS	YSES	a. CONCEN- TRATION	b. MASS	AVERAG (1) CONCEN- TRATION	(2) MASS	b. NO. OF ANAL- YSES
GC/MS FRACTIO		OLATI	LE CC			- CONTROL - CONT		CONCENTION					TRATION		1353
1V. Acrolein (107-02-8)			х		7										
2V. Acrylonitrile (107-13-1)	\		x								-				
3V. Benzene (71-43-2)	×			< 4						1	ug/l	10 - To - Trin Co - 10 - 10 - 10 - 10 - 10 - 10 - 10 - 1	¥		
4V. Bis (Chloro- methyl) Ether (542-88-1)			x								ug/ I				
5V. Bromoform (75-25-2)			x		THE RESERVE										
6V. Carbon Tetrachloride (56-23-5)			x												
7V. Chloroben- zene (108-90-7)			x				<del>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</del>				74				
8V. Chlorodi- bromomethane (124-48-1)			x									*************			
9V. Chloroethane (75-00-3)			x												
10V. 2-Chloro- ethylvinyl Ether (110-75-8)			x												
11V. Chloroform (67-66-3)			x												1000-10-1-2
12V. Dichloro- bromomethane (75-27-4)			x												
13V. Dichloro- difluoromethane (75-71-8)			x	П											
14V. 1,1-Dichloro- ethane (75-34-3)			x												
15V. 1,2-Dichloro- ethane (107-06-2)			x									<u> </u>			
16V. 1,1-Dichloro- ethylene (75-35-4)			х												
17V. 1,2-Dichloro- propane (78-87-5)			х												
18V. 1,3-Dichloro- propylene (542-75-6)			х												
19V. Ethylbenzene (100-41-4)	ا ×			< 7						1	ug/l				
20V. Methyl Bromide (74-83-9)			x								39,1				
21V. Methyl Chloride (74-87-3)			x												

EPA I.D. NUMBER (copy from Item 1 of Form 1)

OUTFALL NUMBER

DCD045493814

001

1. POLLUTANT 2. MARK 'X' 3. EFFLUENT 4. UNITS 5. INTAKE (optional) a. MAXIMUM DAILY VALUE AND CAS a. TEST- b. BE- c. BE-ING LIEVED LIEVED b. MAXIMUM 30 DAY VALUE c. LONG TERM AVRG. VALUE | d. NO. OF a. LONG TERM NUMBER (if available) (if available) ANALa. CONCENb. MASS **AVERAGE VALUE** b. NO. OF PRE-SENT AB-SENT (2) MASS (if available) (2) MASS (1) (1) (1) (2) MASS YSES TRATION (1) CONCEN-(2) MASS ANAL-CONCENTRATION CONCENTRATION CONCENTRATION TRATION YSES GC/MS FRACTION — VOLATILE COMPOUNDS(continued) 22V. Methylene Chloride (75-09-2) х 23V. 1,1,2,2-Tetra-chloroethane (79-34-5)24V. Tetrachloroethylene (127-18-4) 25V. Toluene (108-88-3)1.1 ug/1 26V. 1,2-Trans-Dichloroethylene (156-60-5) 27V. 1,1,1-Trichloroethane (71-55-6)28V. 1,1,2-Trichloroethane (79-00-5)29V. Trichloroethylene (79-01-6) 30V. Trichlorofluoromethane (75-69-4)31V. Vinyl Chloride (75-01-4) GC/MS FRACTION — ACID COMPOUNDS 1A. 2-Chlorophenol (95-57-8) x 2A. 2,4-Dichlorophenol (120-83-2) x 3A. 2,4-Dimethylphenol (105-67-9) 4A. 4,6-Dinitro-O-Cresol (534-52-1) X 5A. 2.4-Dinitrophenol (51-28-5) х 6A. 2-Nitrophenol (88-75-5)Х 7A. 4-Nitrophenol (100-02-7)lx. 8A. P-Chloro-M-Cresol (59-50-7) X 9A. Pentachlorophenol (87-86-5) 10A. Phenol (108-95-2)х 11A. 2,4,6-Trichlorophenol (88-06-2)

EPA Form 3510-2C (8-90)

CONTINUED FROM PAGE V-4

CUNTINUED FROM THE FRONT

1. POLLUTANT		MARK				3. EFFLUENT				4. UN	NITS	5. INTAKE (optional)					
AND CAS NUMBER (if available)	a. TEST- ING	b. BE-	c. BE-	a. MAXIMUM D	AILY VALUE	b. MAXIMUM 30 DAY VALUE (if available)				d. NO. OF			a. LONG	G TERM			
	RE- QUIR- ED	LIEVED I PRE- SENT	PRE- SENT	PRE- SENT	AB- SENT	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	nilable) (2)	MASS	ANAL- YSES	a. CONCEN- TRATION	b. MASS	(1) CONCEN- TRATION	(2) MASS
GC/MS FRACTIO	N — B	ASE/N	EUTR	AL COMPOUND	S												
1B. Acenaphthene (83-32-9)			х														
2B. Acenaphtylene (208-96-8)			х														
3B. Anthracene (120-12-7)			x														
4B. Benzidine (92-87-5)			x		<	0											
5B. Benzo (a) Anthracene (56-55-3)			x														
6B. Benzo <i>(a)</i> Pyrene (50-32-8)			x														
7B. 3,4-Benzo- fluoranthene (205-99-2)			x														
8B. Benzo (ghi) Perylene (191-24-2)			x														
9B. Benzo (k) Fluoranthene (207-08-9)			x										;				
10B. Bis (2-Chloro- ethoxy) Methane (111-91-1)			x														
11B. Bis (2-Chloro- ethyl) Ether (111-44-4)			x								5.3						
12B. Bis (2-Chloroiso- propyl) Ether (102-60-1)			x														
13B. Bis (2-Ethyl- hexyl) Phthalate (117-81-7)			x														
14B. 4-Bromo- phenyl Phenyl Ether (101-55-3)			x	-							S.						
15B. Butyl Benzyl Phthalate (85-68-7)			x														
16B. 2-Chloro- naphthalene (91-58-7)			x									Control of the Contro					
17B. 4-Chloro- phenyl Phenyl Ether (7005-72-3)	94		x														
18B. Chrysene (218-01-9)		8 6	x														
19B. Dibenzo (a, h) Anthracene (53-70-3)			x														
20B. 1,2-Dichloro- benzene (95-50-1)			x				<u> </u>										
21B. 1,3-Dichloro- benzene (541-73-1)			x														

EPA I.D. NUMBER (copy from Item 1 of Form 1)

OUTFALL NUMBER

CONTINUED FROM PAGE V-6

DCD045493814

001

1. POLLUTANT AND CAS NUMBER (if available)	2.	2. MARK 'X'				3. EFFLUENT					4. UNITS		5. INTAKE (optional)		)
	a. TEST- ING RE- QUIR-	b. BE-	c. BE-	a. MAXIMUM DAILY VALUE		b. MAXIMUM 30 DAY VALUE				d. NO. OF		(	a. LONG TERM		
		PRE- SENT	LIEVED AB- SENT	(1)	(2) MASS	(1)	(2) MASS	(if ava.	(2) MASS	ANAL- YSES	a. CONCEN- TRATION	b. MASS	AVERAG (1) CONCEN-	(2) MASS	
	ED			CONCENTRATION		CONCENTRATION		CONCENTRATION					TRATION		YSES
GC/MS FRACTIO	N — B	ASE/N	EUTR	AL COMPOUND	S(continued)										
22B. 1,4-Dichloro- benzene (106-46-7)			x												
23B. 3,3'-Dichloro- benzidine (91-94-1)			x												
24B. Diethyl Phthalate (84-66-2)			х												
25B. Dimethyl Phthalate (131-11-3)			x	И			TO THE RESERVE OF THE PARTY OF								
26B. Di-N-Butyl Phthalate (84-74-2)			х												
27B. 2,4-Dinitro- toluene (121-14-2)			x				######################################				12				
28B. 2,6-Dinitro- toluene (606-20-2)			x												
29B. Di-N-Octyl Phthalate (117-84-0)			х												
30B. 1,2-Diphenyl- hydrazine (as Azo- benzene) (122-66-7)			x												
31B. Fluoranthene (206-44-0)			x												
32B. Fluorene (86-73-7)			×												
33B. Hexachloro- benzene (118-74-1)			x	(20											
34B. Hexachloro- butadiene (87-68-3)			×											,	
35B. Hexachloro- cyclopentadiene (77-47-4)			x									310/65 <del>2</del>			
36B. Hexachloro- ethane (67-72-1)			x												
37B. Indeno (1,2,3-cd) Pyrene (193-39-5)			х												
38B. Isophorone (78-59-1)			х												
(91-20-3)	×			<2						1	ug/l				
40B. Nitrobenzene (98-95-3)			×												
41B. N-Nitroso- dimethylamine (62-75-9)			x												
42B. N-Nitrosodi- N-Propylamine (621-64-7)			x												

1. POLLUTANT	2. MARK 'X'					3	. EFFLUENT				4. UN	IITS	5. INT	AKE (optional	al)
AND CAS NUMBER (if available)	a. TEST-			a. MAXIMUM DAILY VALUE		b. MAXIMUM	30 DAY VALUE	c. LONG TERM	d. NO. OF			a. LONG TERM			
	a. TEST- b. BE- c. BI ING LIEVED LIEVE RE- PRE- AB- QUIR- SENT SEN	c. BE- LIEVED AB- SENT	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS	(if ava	(2) MASS	ANAL- YSES	a. CONCEN- TRATION	b. MASS	(1) CONCEN- TRATION	(2) MASS	b. NO. OF ANAL- YSES	
GC/MS FRACTIO	1	ASE/N	NEUTR	AL COMPOUND	S(continued)										
43B. N-Nitro- sodiphenylamine (86-30-6)			x ·												
44B. Phenanthrene (85-01-8)			x												
45B. Pyrene (129-00-0)			x												
46B. 1,2,4-Tri- chlorobenzene (120-82-1)			x												
GC/MS FRACTIO	N — P			<del></del>			Pille 149 range i					\			
1P. Aldrin (309-00-2)			x								JI.				
2P.() -BHC (319-84-6)															
3P. <i>B</i> -BHC (319-85-7)			x												
4P. Υ -BHC (58-89-9)			х							V 55					
5P. δ -BHC (319-86-8)			х		88									(6)	
6P. Chlordane (57-74-9)			x												
7P. 4,4'-DDT (50-29-3)															
8P. 4,4'-DDE (72-55-9)			x												
9P. 4,4'-DDD (72-54-8)			х												
10P. Dieldrin (60-57-1)															
11P. Q -Endosulfan (115-29-7)			X												
12P. <i>B</i> -Endosulfan (115-29-7)			х												
13P. Endosulfan Sulfate (1031-07-8)			X												
14P. Endrin (72-20-8)			x .,												
15P. Endrin Aldehyde (7421-93-4)			х												
(7421-93-4) 16P. Heptachlor (76-44-8)			x												-

EPA I.D. NUMBER (copy from Item 1 of Form 1)


OUTFALL NUMBER


CONTINUED FRO	M PAG	E V-8			DCD04	5493814		001			1																					
1. POLLUTANT	2.	MARK	'X'				B. EFFLUENT					4. UN	NITS	5. INT	AKE (optiona	ıl)																
AND CAS NUMBER	a. TEST- ING RE- QUIR-	b. BE- LIEVED	o. BE- c. BE- IEVED LIEVED	D. BE- C. BE- LIEVED LIEVED	D. BE- C. BE-	BE- C. BE-	BE- c. BE- EVED LIEVED	BE- c. BE- EVED LIEVED	b. BE- c. BE- LIEVED LIEVED	b. BE- LIEVED LIEVED	D. BE- C. BE- IEVED LIEVED	. BE- c. BE-	. BE- c. BE- EVED LIEVED	BE- C. BE-	BE- C. BE-	D. BE- C. BE-	BE- C. BE- EVED LIEVED	BE- c. BE-	c. BE- D LIEVED - AB-		a. MAXIMUM DAILY VALUE		b. MAXIMUM 30 DAY VALUE c. (if available)		c. LONG TERM AVRG, VALUE (if available)		d. NO. OF ANAL-	a. CONCEN-	b. MASS	a. LONG TERM AVERAGE VALUE		b. NO. OF
(if available)	QUIR- ED	SENT	SENT	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) M	ASS	YSES	TRATION	A	(1) CONCEN- TRATION	(2) MASS	ANAL- YSES																
GC/MS FRACTI	ON — P	ESTIC	IDES(	(continued)																												
17P. Heptachlor Epoxide (1024-57-3)			x																													
18P. PCB-1242 (53469-21-9)			x											şi j																		
19P. PCB-1254 (11097-69-1)			x																													
20P. PCB-1221 (11104-28-2)			х																													
21P. PCB-1232 (11141-16-5)			x																													
22P. PCB-1248 (12672-29-6)			х																													
23P. PCB-1260 (11096-82-5)			x																													
24P. PCB-1016 (12674-11-2)			x																													
25P. Toxaphene (8001-35-2)			x																													


PAGE V-9


The facility is an inactive bulk petroleum Terminal. If the facility is brought back into operation the tanks would need to undergo hydrostatic testing. Testing would be performed by filling the tanks with water and discharging the tanks after ensuring the tank's integrity. The tanks would be fully cleaned prior to filling with water.

If the facility is dismantled or put back into operation, wash water may be generated and need to be discharged. A non-emulsifying detergent would be used and the washwater would be treated by the oil/water separator.











Facility Drainage Diagram









An ETC Laboratory

284 Raritan Center Parkway Edison, NJ 08818-7808 (908) 225-6700

FAX	TRA	NSM	ITTA	1

DATE:	DAVE EDWARDS	TIME:
TO:	WALT TOOMER	FAX #: 150-6799
	(Company)	
FROM:	Chris Blank	FAX #: 908/225- 6777

TOTAL # PAGES: 2

MESSAGE/SPECIAL INSTRUCTIONS:

Phalysis

COD

22 mg/L

10 mg/L

TSS

45 mg/L

5 mg/L

10 mg/L

/ / Hard copy to follow via regular U.S. Mail / / Hard copy to follow via Federal Express

# DATA MANAGEMENT SUMMARY REPORT (DM-OC) - All Parameters Tested, Selected Samples

DATE: 12/22/93 PAGE: 1

	AMERADA HE	Si ¢aki dikatraki. Earrani	ANGASSIAG Partier	ec 1) po Samble Pigni	
		\$ <b>*</b>			
Miscellaneous Parameters					
Benzene Ethylbenzene Methyl tertiary butyl ether Naphthalene Toluene m-Xylene o+p-Xylenes ug/l ug/l ug/l ug/l ug/l ug/l	4 7 10 2 B 1.1 4 10 C 10				
			N A		
× " »					
Footnotes: BMDL=Below Method Detection Limit NC=Parameter not dete	cted *-'=Persone:	r not tested BeBADLive	tue Reported) <=ND(MDL Report		